



ShenZhen ITCF technology Co., Ltd

Add: 3rd floor, C building, Fu Wen Industry Park, Busha Road, BuJi, shenzhen, CHINA

Tel: 86-755-82207646

Mobile Phone: 86-13266540012

Email: salesmanager@lsmade.com

www.lsmade.com

Features

- Fast printing of text and images
- Long lasting auto-cutter up to 1.5million cuts
- Friendly utilities,virtual USB or USB hid setting by utilities
- Support 8 kinds of different paper width(Optional)
- Support wall mounting



ITCF-306

Printing	
Print Method	Direct Thermal
Print Speed	260mm/s
Resolution	576dots/line or 572dots/line
Printing Width	72mm
Paper separator(option)	48mm/52mm/56mm/64mm/68mm/76mm/80mm
Interface	RS232C+USB+Lan
Kitchen function	
Power,Paper,Erro	Support
LED light with beeper	Without
Hanging device	Equipped
Memory	
Input buffer	256kbytes
NV Flash	256kbytes
Fonts	
Font A	12x24
Font B	9x17
Fonts	
Chinese	GB18030,BIG5 24x24dots
Japanese/Korea	Support
User-defined	Support
Barcode	
1D	UPC-A/UPC-E/JAN13 (EAN13) /JAN8 (EAN8) /CODE39/ITF/CODABAR/CODE93/CODE128 - 1D: Codabar, ITF, UPC A, UPC E, Code 39, Code 93, Code 128, EAN 8, EAN 13. Barcode printing support
2D	QR code (2D: QR code, Maxi code, PDF417, Data Matrix, Aztec, GS-1, Composit.
Detection	
Sensors	Paper out, paper near end, cover open, cutter jam,paper jam and black mark detection(Optional)
Power Supply	
Input	AC 100V-240V 50/60HZ
DC 24V/2.5A	DC 24V/2.5A
Paper	
Paper Type	Thermal Receipt Paper
Paper Width	48mm/52mm/56mm/64mm/68mm/76mm/80mm
Paper Thickness	0.06~0.08mm
Roll Dia	Max. Ø 83 mm
Paper Load	Easy paper loading
Paper Cut	Manual tear or Auto-cutter
Physical Characteristics	
Working Condition	0° C~45° C, 10%~80%RH

Storage Condition	-10° C-60° C,10%~90%RH		
Dimensions	191(D)x146(W)x12.9(H)mm		
Net weight	1.94kg		
Gross weight	2.14kg		
Reliability			
Printing head	150KM		
cutter	1.5million		
Packing			
Individual box	Dimension	25X20X16cm(LXWXH)	1unit/carton
Master carton	Dimension	63X27X35cm(LXWXH)	6units/carton
OS			
Emulation	ESC/POS		
Driver	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS		
SDK	Android, IOS		
Accessories	data cable,power adaptor,power code,paper roller,CD>manual,paper separator(option)		